# This Page Is Inserted by IFW Operations and is not a part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

#### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.





FIG. 2






FIG. 4

TARGET PRINTER	PRINTER B (SITE B)	▼	
OUTPUT PRINTER	PRINTER A	▼	٠
PROFILE SETTING	CMYK INPUT	Japan Color	•
	RGB INPUT	sRGB Monitor	V
	SIMULATION TARGET	PRINTER B	•
	PRINTER	PRINTER A	•
FILE SETTING	TIFF	▼	

FIG. 5






FIG. 6



**FIG.** 7








FIG. 9





11/27 PRINTER B SITEB SERVER PROFILE DB 200 WAN ~ 203 PROFILE DB 204 SERVER ~ 201 SITEA ~ 202 PRINTER A






FIG. 13




14/27 SITE B PROFILE DB 212 SERVER PROFILE DB 213 200 WAN ~ 203 PROFILE DB SERVER ~ 201 SITEA 202 **PRINTER A** 

FIG. 15





PREVIEW SETTING				
TARGET PRINTER	PRINTER B (SITE B) ▼			
OUTPUT MONITOR	MONITOR A ▼			
PROFILE SETTING	CMYK INPUT	Japan Color	•	
	RGB INPUT	sRGB Monitor	•	
	PRINTER	PRINTER B	•	
FILE SETTING	TIFF	▼		
		CANCEL OK		)


FIG. 17




# FIG. 18 1








1 1 . . . .





PREVIEW SETTING		
TARGET PRINTER	PRINTER B	•
OUTPUT MONITOR	MONITOR A	▼
PROFILE SETTING	CMYK INPUT	Japan Color ▼
	RGB INPUT	sRGB Monitor ▼
	PRINTER	PRINTER B ▼
		CANCEL OK

FIG. 24

